



SHINIL PRODUCTS **CATALOGUE**





Instruction of Shinil.....	3
History & Certification of Shinil.....	4
Metal Scourer.....	5
Stainless Steel Wire Composition.....	8
Bobbin Types and Size.....	9
Fabric Sponge.....	10
Nylon Scrubber.....	14
Cellulose Scrubber.....	17
Melamine.....	20
Microfiber.....	22
And more.....	24
Fabric Roll.....	25
Packaging Details (Bulk).....	26

Instruction of Shinil co.,ltd



Good Quality



Comfort



Safety



Quick Delivery



Trust



We are an exporter of all kinds of scrubbers and kitchen sponge cleaners. We had exported to many countries such as North and South America, Middle East countries, many western European countries, Russia and Australia for the last 30 years. In order to serve our valued customers around the world, we run the production facilities both in Korea and China to meet customer's specific needs.

We could supply you with any items in OEM/ODM method on long-term based and also our own brand "Mom Clean". The products and prices that we will offer you have competitive qualities which can make you satisfy.

We believe that our business success totally depends on our ability to server our customer's need.

If you are interested in importing our quality goods, and if you need more information about us please inform by reply. We will provide necessities without any delay.



History of Shinil co.,ltd

- Feb. 1977. Established as Shinil Corporation at Uljiro 3-ga (Production Item: STAINLESS STEEL WIRES)
- Aug. 1979. Imported 5 automatic production machines(Stainless Steel Scrubber) from Okuno Japan and started manufacturing products
- Jul. 1981. Registered as a supplier and started supplying its products to Defense Procurement Agency
- Sep. 1981. Enlarged and relocated its factory to Pangyo Gyeonggi-do
- May. 1982. Started stainless steel casting businesses and manufacturing and exporting Its products to the Americans and Australia
- Apr. 1994. Established Mengyn Factory in Shandong China and started manufacturing Its products
- Aug. 1997. Established its branch factory in Guangdong China
- Jul. 2003. Relocated its factory to Yeongi-gun Chuncheongnam-do
- Apr. 2013. Established its Korea international trade association office (Korea World trade center)
- Jul. 2013. Established its branch office in Guangdong China [Korea Trade-Investment Promotion Agency]
- Oct. 2013. Constructed new factory in Guangzhou, China
- Mar. 2015. Selected as an Official Trade delegation of President Park's visit to Middle East

Certification of Shinil co.,ltd



The Business Social Compliance Initiative is a leading business-driven initiative for companies committed to improving working conditions in factories and farms worldwide. We unite more than 1000 Companies around a development-oriented system applicable to all sectors and sourcing countries.



ISO 9001 is the internationally recognized standard for the quality management of businesses. It applies to the processes that create and control the products and services an organization supplies, and prescribes systematic control of activities to ensure that the needs and expectations of customers are met. ISO 9001 is designed and intended to apply to virtually any product or service, made by any process anywhere in the world.



Various Packing



OEM/ODM



Heavy Duty



Scratch

Metal Scourer



Features

- ✓ It doesn't rust and can be used for long period of time as its original shape is maintaining unchanged for a long time.
- ✓ It is also easy to dry and hygienic.
- ✓ Wide variety packing methods and customization of the package types are available for this product so that customers can select the right package types according to the channels and markets they are focusing.
- ✓ It helps you remove the stain stuck in frying pan, kitchen utensils, gas stoves, ovens, tile floors, etc. effectively.
- ✓ Spiral design prevents injury to the hands and allows you to erase stains quickly and easily.






STAINLESS STEEL SCOURER (SS)

Weight(g)	Color	10g~100g	Silver	 Various Style  Dryness speed  Strength
Diameter	1) AISI 304 : 0.08~0.23mm 2) AISI 410, AISI 430 : 0.13~-.23mm			
Material	AISI410, AISI430, AISI304			

Feature : We can supply customers with broader selection of products made of various materials such as AISI410, 430 and 304, with various wire thicknesses up to 0.08mm~0.22mm and various tensions.






BRASS SCOURER (BS)

Weight(g)	Color	10g~100g	Gold	 Anti-bacterial  Dryness speed  Strength
Diameter	0.15~0.23mm			
Material	Copper 65%, Zinc : 35%			

Feature : It has self-antibacterial function to be hygienic and does not rust. It also maintains its original shape unchanged for a long time.



COPPER MESH SCOURER (CS)

Weight(g)	Color	15g~100g	Reddish Orange	<div><div> Anti-bacterial</div><div> Dryness speed</div><div> Strength</div></div>
Diameter	0.22~0.25mm			
Material	100% Copper			

Feature : It can be designed in the form of a donut-shaped mesh, it maintains its original shape constantly for a long time and facilitates cleaning of the contaminated areas.





COATED COPPER MESH SCOURER (CSS)

Weight(g)	Color	10g~100g	Bright Reddish Orange	 Coating  Dryness speed  Strength
Diameter	0.18~0.22mm			
Material	Steel and Copper			

Feature : Available with Handle



GALVANIZED MESH SCOURER (GS)

Weight(g)	Color	10g~100g	Silver	 Dryness speed  Strength
Diameter	0.19~0.23mm			
Material	Steel and Zinc			

Feature : Available with Handle






CS, CCS, GS WITH HANDLE

Weight(g)	20~50g	 Nice Grip  Dryness speed  Strength
Diameter	0.18~0.22mm	
Material	Copper, Coated copper, Galvanized mesh wire	



STEEL WOOL

Color	Silver	 Polishing  Scratch  Strength
Feature : Steel wool, also known as wire wool or wire sponge, is a bundle of strands of very fine soft steel filaments. It is used as an abrasive in finishing and repair work for polishing wood or metal objects, cleaning household cookware, and sanding in light painting.		



STAINLESS WIRE

Thickness	1) AISI 304 : 0.04~0.7mm 2) AISI 410, AISI 430 : 0.125~0.7mm		
Material	AISI 410, AISI 430, AISI 304		
Weight	Packaging	15Kg / Bobbin	2 bobbins / CTN



BRASS WIRE

Thickness	0.15~0.80mm		
Material	Copper 65%, Zinc : 35%		
Weight	Packaging	15Kg / Bobbin	2 bobbins / CTN



COPPER (COATED) COPPER WIRE

Thickness	1) Copper : 0.20~0.80mm 2) Coated Copper : 0.125~0.80mm		
Material	100% copper, steel with copper coating		
Weight	Packaging	15Kg / Bobbin	2 bobbins / CTN



GALVANIZED WIRE


Thickness	0.125~0.80mm		
Material	steel with zinc coating		
Weight	Packaging	15Kg / Bobbin	2 bobbins / CTN

Stainless Wire Composition


	Specification			Chemical Composition(%)										
	AISI	JIS	KRS	C	Si	Mn	P	S	Ni	Cr	Mo	Cu	N	Other
A U S T E N I T I C	-	-	201	0.08	1	7-10	0.045	0.03	3.5-5.5	13-16	-	-	0.1-0.2	-
	202	130M	130M	0.15	1	7.5-10	0.06	0.03	3.5-5.5	17-19	-	-	0.25	-
	-	-	202	0.12	1	8-10	0.45	0.03	4-6	17-19	-	-	0.2-0.35	-
	-	-	204	0.15	1	12-15	0.06	0.03	1.5-3.5	12-15	-	1.5-3.5	-	-
	301	301	301	0.15	1	2	0.045	0.03	6-8	16-18	-	-	0.1	-
	-	-	304ES	0.08	1	3.5	0.045	0.03	6-8	15-17	-	-	-	-
	302	302	302	0.15	1	2	0.045	0.03	8-10	17-19	-	-	-	-
	303	303	303F	0.15	1	2	0.2	>0.15	8-10	17-19	-	-	-	-
	-	303Cu	303Cu	0.15	1	3	0.2	>0.15	8-10	17-19	-	1.5-3.5	-	-
	304	304	304	0.08	1	2	0.045	0.03	8-11	18-20	-	-	-	-
			304H	0.06-0.1	1	2	0.045	0.03	8-10.5	18-20	-	-	-	-
			304M	0.08	1	2	0.045	0.03	9-10.5	18-20	-	-	0.1	-
	304L	-	304L	0.03	1	2	0.045	0.03	8-12	18-20	-	-	-	-
	-	304L	304L	0.08	1	2	0.045	0.03	9-13	18-20	-	-	-	-
	-	-	304S	0.03	1	2	0.045	0.03	10-12	18-20	-	-	-	-
	-	304N1	304N1	0.08	1	2-3	0.045	0.03	7-10.5	18-20	-	-	0.1-0.25	-
	-	304J3	304HC	0.08	1	2	0.045	0.03	8-10	18-20	-	-	0.1-0.2	-
	-	-	304M4	0.08	1	2.5-3	0.045	0.03	8-10	18-20	-	-	0.1-0.2	-
	XM7	-	304Cu	0.1	1	2	0.045	0.03	8-10	17-19	-	3-4	-	-
	-	XM7	302HQ	0.08	1	2	0.045	0.03	8.5-10.5	17-19	-	3.4	-	-
	310S	310S	310S	0.08	1.5	2	0.045	0.03	19-22	24-26	-	-	-	-
	314	-	314	0.25	1.5-3	2	0.045	0.03	19-22	23-26	-	-	-	-
	316	316	316	0.08	1	2	0.045	0.03	10-14	16-18	2-3	-	-	-
	316L	-	316L	0.03	1	2	0.045	0.03	10-14	16-18	2-3	-	-	-
	-	316L	316L	0.03	1	2	0.045	0.03	12-15	16-18	2-3	-	-	-
	-	-	316Cu	0.04	1	2	0.045	0.03	10-14	16-18	2-3	-	-	-
	316N	-	316N	0.08	1	2	0.045	0.03	10-14	16-18	2-3	0.1-0.16	-	-
	-	316N	316N	0.08	1	2	0.045	0.03	10-14	16-18	2-3	-	0.1	-
	317	317	317	0.08	1	2	0.045	0.03	11-15	18-20	3-4	-	-	-
	317L	-	317L	0.03	1	2	0.045	0.03	11-15	18-20	3-4	-	-	-
	321	-	321	0.08	1	2	0.045	0.03	9-12	17-19	-	-	-	Ti5x (C+N) 0.7
	-	321	321	0.08	1	2	0.045	0.03	9-13	17-19	-	-	-	Ti5x cm in
F E R R I T E	430	430	430	0.12	1	1	0.04	0.03	0.6	16-18	-	-	-	-
	430F	430F	430F	0.12	1	1.25	0.06	>0.015	0.6	16-18	-	-	-	-
	-	-	430Cu	0.08	1	2	0.04	0.03	0.6	16-18	-	0.5-1.5	-	-
	410	410	410	0.15	1	1	0.04	0.03	0.6	11.5-13.5	-	0.5-1.5	-	-
	416	416	416	15	1	1.25	0.06	>0.015	0.6	12-14	0.6	-	-	-
M A R T E N S I T I C	420	-	420	0.16-0.25	1	1	0.035	0.03	0.6	12-14	-	-	-	-
	-	420J2	420J2	0.26-0.35	1	1	0.035	0.03	0.6	12-14	-	-	-	-
	-	420F	420F	0.26-0.35	1	1.25	0.06	>0.015	0.6	12-14	-	-	-	-
	-	631J1	631J1	0.09	1	1	0.04	0.03	7-8.5	16-18	-	-	-	ALO 0.75-1.5

Bobbin Types and Size

P-BOBBIN/ D-BOBBIN



PT-BOBBIN



General Bobbin(P)

Spool No.	Flange Diameter(D)	Barrel Diameter(d)	Inside Width(W)	High(H)	Bore Diameter(U)
Solder(1kg)	65	23	58	66	19
P-1	100	50	70	90	20
P-2	130	80	90	110	21
P-3	130	60	90	110	21
P-4	160	90	90	114	21
P-4B	160	95	90	104	17
P-5	160	70	90	114	22
P-10	200	91	110	132	25
P-20	250	110	110	139	34
P-25	300	130	130	160	32
P-25L	300	180	170	200	100

Long Traverse Taper Bobbin(PT)

Spool No.	D1D2	d1d2	W	H	U
PT-1	95, 105	54, 58	100	118	20
PT-4	124, 140	74, 86	170	200	26
PT-10	160, 180	96, 110	200	230	29
PT-15	180, 200	96, 110	200	230	30
PT-20	215, 230	131, 160	250	280	32
PT-25	215, 230	110, 150	250	280	32
PT-60	270, 298	148, 175	350	400	44
Small Bobbin	70	45	52	62	18

Din Bobbin(D)

Spool No.	D	d	W	H	u
D-80	80	50	64	80	16
D-100	100	63	80	100	16
D-125	125	80	100	125	16
D-160	160	100	127	160	22
D-200	200	125	160	200	22
D-250	250	160	160	200	22
D-355	355	224	160	200	36
SF	300	210	90	100	85
P.S	149	45	161	184	12
PI-3	120	75	129	149	20
P.L-3G	65	45	75	85	16
S.M	110	88	19	25	9



✦ Fabric Sponge



✦ Features

- ✓ Depending on the cleaning applications, various selections are available.
- ✓ Scrubbers are also available in various colors upon request and make your kitchen brighter.
- ✓ Products designed to grasp easily.
- ✓ It helps you reduce environmental pollution by cleaning with a small amount of detergent as it works up a plenty of foam.
- ✓ It provides customers with broader selections of product in various shapes and materials depending on target prices, packing methods, applications, etc.
- ✓ You can effectively clean all cooking wares you are using without a scratch.
- ✓ Anti bacterial is available by client's demand.



SPF-1

Size(cm)	12x8.5x1.5	 Dryness speed
Color	Red, Green, Blue, Light Blue etc.	
Material	Polyurethan, Polyester	





SPF-2A

Size(cm)	12x8.5x1.5	 Various Style	 Big Size	 Dryness speed
Color	Gold, Silver, Blue, Green etc.			
Material	Polyurethan, Polyester			





SPF-2B

Size(cm)	12x8.5x1.5	 Various Style	 Dryness speed
Color	Silver, green, light blue etc.		
Material	Polyurethan, Polyester		



SPF-2C

Size(cm)	12x8.5x1.5	 Various Style	 Dryness speed
Color	Red, Yellow, Blue etc.		
Material	Polyurethan, Polyester		



SPF-3

Size(cm)	13x9x1.5	 Dryness speed
Color	Red, Green, Blue, Yellow etc.	
Material	Polyurethan, Polyester	





SPF-4

Size(cm)	12x9x1.5	 
Color	Silver, Gold etc	
Material	Polyurethan, Polyester	




SPF-5

Size(cm)	12.5x9x2	 
Color	Red, Green, Blue, Yellow etc.	
Material	Polyurethan, Polyester	




SPF-6

Size(cm)	12.5x9x2	
Color	Yellow, White etc.	
Material	Polyurethan, Polyester	



SPF-7

Size(cm)	12.5x9x2	
Color	Silver, Gold, Mixed etc.	
Material	Polyurethan, Polyester	



SPF-8

Size(cm)	12.5x9x1.5	
Color	Silver, gold etc	
Material	Polyurethan, Polyester	



SPF-9

Size(cm)	12.5x9x1.5	 Dryness speed
Color	Silver & Orange, Silver & Green	
Material	Polyurethan, Polyester	




SPF-10

Size(cm)	14x9x1.5	  Nice Grip Dryness speed
Color	Red, Blue, Green etc.	
Material	Polyurethan, Polyester	



SPF-11

Size(cm)	16x1.5x0.5	 Dryness speed
Color	Green, Pink, Purple etc.	
Material	Polyurethan, Polyester	





SPF-12

Size(cm)	10x9x2.5	 Dryness speed
Color	Gold, Silver, White	
Material	Polyurethan, Polyester	



SPF-13

Size(cm)	16x12	  Duration Dryness speed
Color	Green, Yellow, Pink, Blue etc.	
Material	Polyurethan, Polyester	



SNF-1

Size(cm)	13x9.5x1.5	   Duration Scratch Dryness speed
Color	Red, Green, Blue, Light Blue etc	
Material	Polyurethane, Polyester, Nylon, Stainless steel wire	



Light Duty



Medium Duty



Heavy Duty



OEM/ODM



Various Style

Non-Woven Scouring pads



Features

- ✓ Containing an abrasive component in Nylon or Polyester, it facilitates the removal of stains stuck in the kitchen wares.
- ✓ It works up a lot of foam with a sponge and keeps its original shape unchanged even after using.
- ✓ There are three types of Scouring pad, heavy duty, medium duty and light duty, from which customers can select one best suited to the places it is to be used.
- ✓ The nylon material is sturdy enough to handle the most stubborn stains while being safe enough to use on non-stick surfaces.




SNL

Size(cm)	15x10x0.7	 Big Size  Dryness speed
Color	Red, Green, Blue, Light Blue etc.	
Material	Nylon, Polyester and mixed	






SSG-1

Size(cm)	Fish : 14x6.5x2.5, Rectangle : 12x6.5x4	 Nice Grip  Foam  Dryness speed
Color	Orange, Light Green	
Material	Polyurethane with Nylon or Polyester or mixed	





SSG-2

Size(cm)	9x7x4.3	 Nice Grip  Foam  Dryness speed
Color	yellow with Green, Yellow with black	
Material	Polyurethane with Nylon or Polyester or mixed	





SSG-3

Size(cm)	12x6.5x2	 Foam  Dryness speed
Color	Green and White	
Material	Polyurethane and Polyester	



SSG-4

Size(cm)	11x7(5.8)x3.2	 Nice Grip  Foam  Dryness speed
Color	White, Orange and Yellow mixed	
Material	Polyurethane with Nylon or Polyester or mixed	





SSG-5

Size(cm)	11x7.5x3.5	 
Color	yellow with Green, Yellow with black	
Material	Polyurethane with Nylon or Polyester or mixed	






SSG-6

Size(cm)	10.5x6.5x3	 
Color	White and Light blue.	
Material	Polyurethane with Nylon or Polyester or mixed	






SSG-7

Size(cm)	10.5x6.5x4	  
Color	Red, Light blue etc.	
Material	Polyurethane with Polyester	






SSG-8

Size(cm)	11x7x3	  
Color	Refer to the picture	
Material	Polyurethane with Polyester	



SSG-9

Size(cm)	11x7x3	  
Color	Refer to the picture	
Material	Polyurethane with Nylon or Polyester or mixed	



Cellulose Sponge





Features

- ✓ Made of natural pulp, it is environmentally-friendly and good for cleaning soft tableware as it works up a lot of foam.
- ✓ Especially it is good in absorbing moisture and recommended to use for removal of the moisture from the tableware after cleaning.
- ✓ In order to use more hygienically, sterilize it in boiling water.
- ✓ It is ideal for cleaning ceramic wares, kitchen, bathroom, worktops, tables, walls, pots, frying pans, etc.






SCL-1

Size(cm)	11x8x2	 
Color	Light Green and Yellow.	
Material	Polyester or Nylon with Cellulose	





SCL-2

Size(cm)	11x8x1.5	  
Color	Yellow and silver	
Material	Polyester and Nylon with Cellulose	





SCL-3S

Size(cm)	12x8x2	 
Color	Refer to the picture	
Material	Polyester with Cellulose	





SCL-3R

Size(cm)	11x7x2	 
Color	Refer to the picture	
Material	Polyester with Cellulose	






SCL-4

Size(cm)	10x6x3.8	 
Color	Blue, Green, Pink, Yellow	
Material	Polyurethane, Cellulose with Nylon or Polyester	





SCL-5

Size(cm)	20x8x0.4	 Elastic  Extremely Absorbent  Dryness speed
Color	Pink, Blue, Yellow etc.	
Material	Cellulose	




SCL-6S

Size(cm)	12x8x2	 Boil Proof  Extremely Absorbent  Dryness speed
Color	Pink, Blue, Yellow etc	
Material	Cellulose	





SCL-6R

Size(cm)	11x7x2	 Boil Proof  Extremely Absorbent  Dryness speed
Color	Pink, Blue, Yellow etc	
Material	Cellulose	




SCL-7

Size(cm)	11x7x2	 Strength  Dryness speed
Color	Green with Yellow	
Material	Polyurethane with Cellulose	



SCL-8

Size(cm)	12x6.5x2.2	 Dryness speed
Color	Mint with yellow, Pink with light green	
Material	Polyester or Nylon with Cellulose	



Heavy Duty



Eco Friendly



OEM/ODM

➤ Melamine(Magic Eraser)



➤ Features

- ✓ Made of fiber 1,000 times thinner than a human hair, it is also called a magic foam because it can clean contaminated areas easily without throwing big strength in the condition that it is moistened with a little amount of water.
- ✓ It can be regarded as an eco-friendly product as it is not requiring detergent when cleaning.
- ✓ Especially it is safe to use for cleaning of tableware and sink as it does not contain formaldehyde in it. (Raw material made in German) It can be used after cutting into various sizes depending on the application and is little crumbed and can be used for far




SMN-1

Size(cm)	10x7x3	 Scratch
Color	White	
Material	Melamine	





SMN-2

Size(cm)	10x7x3	 Scratch
Color	White with Blue	
Material	Polyurethane with Melamine	




SMN-3

Size(cm)	10x7x3	 Scratch
Color	White with light green, white with orange etc	
Material	Nylon or Polyester with Melamine	



SMN-4

Size(cm)	10x7x3	 Scratch
Color	White and Blue etc	
Material	Sponge and Melamine	



SMN-5

Size(cm)	12x8x1.5	 Scratch
Color	white	
Material	Compressed Melamine	



Microfiber





Features

- ✓ Microfiber contains 90,000 fibers per square inch, giving it the power to lift and hold dust, dirt, grease and spills.
- ✓ Cleans with or without chemical cleaners, leaving lint-free, streak-free results.
- ✓ Non-Abrasive: Microfiber cloths won't scratch paints, clear coats, or other surfaces
- ✓ Absorbs eight times its own weight in liquid and dries in half the time as regular cotton towel.
- ✓ Ideal for countertops, porcelain, chrome, glass and wood.
- ✓ Ultra-fine densely bundled microscopic fibers form a cleaning surface 40 times greater than regular cotton fiber to remove substantially more dust, dirt and bacteria than conventional cleaning products.



SMF-1

Size(cm)	13x8x3	 
Color	Red, Green, Blue, Light Blue etc.	
Material	Polyurethane, polyamide and polyester	



SMF-2(TERRY)

Size(cm)	40x40	 
Color	Red, Green, Blue, Light Blue etc.	
Material	polyamide and polyester	



SMF-3(SUEDE)

Size(cm)	40x40	
Color	Red, Green, Blue, Light Blue etc.	
Material	polyamide and polyester	




SMF-4(TRICOT)

Size(cm)	40x40	
Color	Red, Green, Blue, Light Blue etc.	
Material	polyamide and polyester	






SMF-5

Size(cm)	17x10x8	
Color	Pink, Yellow, Green etc.	
Material	Polyurethane, polyamide and polyester	

❖ And More...



NON-WOVEN CLOTHS(SNW)



Size(cm)	30x30	  
Color	Yellow, Pink, Green etc.	
Material	Viscose	

Feature :

- Can be used as a pot holder, dish cloth, wash cloth, and more great for camping, hiking, fishing, and other outdoor activities.
- Effective removal of oil and stain.
- Good water absorption, economical, eco-friendly. It can work without washing detergent when the oil is light.
- No harmful chemicals and dross. Lint-free after cleaning, soft and smooth.
- Do not damage the surface of the articles



PVA CLOTHS



Size(cm)	120x70cm, 65x43cm, 43x32cm	 
Color	Blue	
Material	PVA	

Feature :

- Excellent absorbency makes it perfect to clean items.
- A powerful tool for cleaning and drying skin and hair.
- Best polish effect.
- Machine washable and dryable.
- Suitable for household use, car care, after sporting, activities & other multi cleaning.
- Drying towel, baby wipes, sports towel, travelling towel, car cleaning towel, clean appliance, shower cloth, household cloth.



SNT

Size(cm)	30x30	    
Color	Yellow, Pink	
Material	Nylon, Polyester	

Feature :

- Hygienic, food debris do not stick on the scouring pad.
- Dries quickly
- Remove stains easily without making any scratches.
- Specially designed for not slip from hand.



SPN

Weight(g)	7~18g	  
Color	Red, Blue, Green, Yellow etc.	
Material	Nylon	


Feature :

- Strong cleaning ability, harmless to your hand and any pots, pans.
- Effective to clean away the stubborn stains.
- High quality with reasonable and competitive price.
- Will not splinter or rust

Fabric Roll

Features

- ✓ semi-finished product.
- ✓ This products widely be used in cleaning the dishware.



Packaging Details(Bulk)

✓ All the specification can be changed as buyer's order.

Metal Scourer/Wire			
Code	Weight	Quantity/CTN	CTN size
SS(0.125mm)	30gr	300	59.5x32.5x30
BS	30gr	300	58x31x27
CCS	30gr	300	56x48x32
CS	30gr	300	56x46x32
CCSH		144	52x38x37
GS	30gr	300	56x46x32
Stainless Steel Wire	0.125mm 15kg/Spool	2spools/CTN 30Kg/CTN	41.5x21x23
Brass Wire & Copper Wire	0.15mm, DIN200 16~17Kg/Spool	2spools/CTN 32~34Kg/CTN	33.5x33.5x17.5
Galvanized Wire	0.18mm, DIN200 15Kg/Spool	2spools/CTN 30Kg/CTN	41.5x21x23

Fabric Scourer/Roll			
Code	Size	Quantity/CTN	CTN size
SPF-1	12x8.5x1.5	360	39x39x45
SPF-2a	12.5x8.7x1.5	600	45x37x63
SPF-2b	12.5x8.7x1.5	640	53x46x54
SPF-2c	10x14x1.5	360	51x37x43
SPF-3	13x9x1.5	360	46.5x40.5x37.5
SPF-4	12x9x1.5	360	36.6x36.5x45.5
SPF-5	12x9x1.5	360	37.5x37.5x46.5
SPF-6	10x14x1.5	480	53.5x49x49.5
SPF-7	12.5x9x2	600	45x37x63
SPF-8	10x14x1.5	600	45x37x63
SPF-9	12.5x9x1.5	360	39x46.5x37.5
SNF-1	13x9x1.5	360	46.5x40.5x37.5
Fabric Roll		11rolls/polybag	40x40x80 40x40x95

Non-Woven Scouring pad			
Code	Size	Quantity/CTN	CTN size
SNL -1	15x10x0.7	720	46.5x41.5x43.5
SNL-R	5000x100x0.5(cm)	1	Diameter: 70cm

Non-Woven Sponge Scourer

Code	Size	Quantity/CTN	CTN size
SSG-1	Fish : 14x6.5x2.5	240	34x35x48
	Rectangle : 12x6.5x4	400	50x50x50
SSG-2	9.5x7x4.3	240	39.5x36x52.5
SSG-3	12x6.5x2	768	55x50x50
SSG-4	11x7x3	360	43.5x36.5x59
SSG-5	10x7x2(N:0.5)	600	46x43x55
SSG-6	6.7x11x3(N:0.4)	360	34.5x35x49.5
SSG-7	10.5x6.5x4	240	53.5x34.5x41.5
SSG-8	11x7x3	600	56x43x55

Cellulose sponge Scourer

Code	Size	Quantity/CTN	CTN size
SCL-1	11x8x2, N:0.8	360	41.5x34.5x49.5
SCL-2	11x8x1.5	360	41.5x34.5x37.5
SCL-3(S)	12x8x2	240	35x35.5x41.5
SCL-3(R)	11x7x2	240	35x35.5x41.5
SCL-4	10x6x3.8	480	60x50x36
SCL-5	18x20x0.5	400	42x38x50
SCL-6	11x7x2	360	46x37x38
SCL-7	11x7x2	480	46x43x42
SCL-8			

Melamine (Magic Eraser)

Code	Size	Quantity/CTN	CTN size
SMN-1	10x7x3	700	58x58x58
SMN-2	10x7x3	700	58x58x58
SMN-3	10x7x3	700	58x58x58
SMN-4	10x7x2	588	50x42x44
SMN-5	10x7x3	700	58x58x58

Microfiber

Code	Size	Quantity/CTN	CTN size
SMF-1	13x8x3	180	37.5x325.5x51.5
SMF-2	40x40	300	41x41x42
SMF-3	40x40cm	200	41x41x45
SMF-4	40x40cm	200	41x41x45

Others

Code	Size	Quantity/CTN	CTN size
SNT-1	30x30	500	50x50x34
SPN -1	Dia : 8cm, Weight : 8g	480	59x43x50



Rm. 1111, Jamsil I-Space B/D, 58 Ogeum-Ro, Songpagu, Seoul, Korea (05510)
Tel. +82 2 549 9421 Main Fax. +82 2 549 9422 E-mail. shinilsales05@shinilglobal.com
Skype. [sales4_shinilglobal](https://www.skype.com/partners/sales4_shinilglobal) Web. www.shinilglobal.com